

Clay Pavers are manufactured using pure clay in extrusion process and are hard-fired in kilns at very high temperature, as they are hard-fired creates richness in colour, increase in strength, natural and feel they're simply more elegant than concrete pavers, the units are more precise however clay is more durable overall and available in many patterns with desired thickness.

Features

- Eco Friendly
- Higher Compressive Strength
- Lower Water Absorption

Benefits

- Passive Fire Protection
- Thermal Insulation
- Cryogenic Insulation

Advantages

- Acoustic Insulation
- Hot Surface Insulation
- Combination Solution

Technical Information

- * Compressive Strength ± 20N/m². As per IS:3495(Part-1, 2) 2019
 - * Water Absorption < ± 14.5% by weight as per IS:1077-1992



Model No - CEP 01 Model Name - I Paver Dimension - 9" x 6" x 3" Weight: 3.6 KG Qty per Sft: 3 Nos




Model No - CEP 02 Model Name - Grass Paver Dimension - 9" x 4" x 3"

Weight: 2.8 KG Qty per Sft: 4 Nos



Model No - CEP 03 Model Name - Grass Paver Dimension - 9" x 4" x 3" Weight: 2.5 KG

Qty per Sft: 4 Nos



Model No - CEP 04 Model Name - Grass Paver Model Name - Frame Dimension - 9" x 4" x 3"

Weight: 2.3 KG Qty per Sft: 4 Nos




Model No - CEP 05 Model Name - Brick Paver Dimension - 9" x 4" x 3" Weight: 3.3 KG

Weight: 3.3 KG Qty per Sft: 4 Nos



Model No - CEP 06 Model Name - Brick Paver Dimension - 9" x 4" x 2"

Weight: 2.2 KG Qty per Sft: 4 Nos



Page 3

Model No - CEP 07 Model Name - Brick Paver Dimension - 9" x 4" x 1" Weight: 1.1 KG Qty per Sft: 4 Nos



Model No - CEP 08 Model Name - Brick Paver Dimension - 9" x 3" x 1"

Weight: 0.8 KG Qty per Sft: 4 Nos



Model No - CEP 09 Model Name - Hexa Paver Dimension - 6" x 6" x 3" Weight: 2.4 KG

Qty per Sft: 4 Nos





