


Catalogue

Clay Blocks (Extruded)

**Stay Creative
Stay Sustainable
with Terracotta**

Clay Blocks are extruded & perforated by nature, bigger in sizes than bricks, are manufactured using modern methods. These are completely exposed with good compressive strength having horizontal perforations & non load bearing clay blocks. These Blocks are easy to install, highly stable & durable. No Plastering is required & perform exceptionally well in a variety of applications.



Features

- Eco Friendly
- Better Thermal & Sound Insulation
- Higher Compressive Strength
- Lower Water Absorption

Benefits

- Passive Fire Protection
- Thermal Insulation
- Cryogenic Insulation
- Long Life & Cost Saving


Advantages

- Acoustic Insulation
- Hot Surface Insulation
- Combination Solution
- Extra Protection & Natural Beauty

Technical Information

* **Compressive Strength** - $\pm 3.5\text{N/m}^2$. As per IS:3495(Part-1, 2) – 2019

* **Water Absorption** - $< \pm 14.5\%$ by weight as per IS:1077-1992



Model No - EB 01
Model Name - Clay Block
Dimension - 16" x 8" x 4"
Weight: 6 KG
Qty per Sft: 1.13 Nos



Model No - EB 02
Model Name - Clay Block
Dimension - 16" x 8" x 6"
Weight: 11.5 KG
Qty per Sft: 0.88 Nos



Model No - EB 03
Model Name - Clay Block
Dimension - 16" x 8" x 8"
Weight: 14 KG
Qty per Sft: 0.88 Nos




Model No - EB 04
Model Name - Maruthi - Roofing Blocks
Dimension - 14" x 10" x 3"
Weight: 5.33 KG
Qty per Sft: 1 Nos






Contact Us:



 www.durgamba.co.in

 +9195 3810 1456

 +9195 3850 1236

