


RAMCO



HARID WORKER



INTEGRAL WATERPROOFING

WATER RESISTANCE AND MORE

- ★ REDUCES POROSITY
- ★ RESISTS STEEL CORROSION
- ★ IMPROVES WORKABILITY

Integral Water Proofing compound for adding in all concrete mixes.

1LTR

5LTR

10LTR

20LTR





WATERPROOFING COAT

WATERPROOFING FOREVER

- ★ ARRESTS WATER SEEPAGE
- ★ ZERO CRACKING OF COAT
- ★ HIGH COVERAGE

Waterproofing of terraces, balconies, sunshades, toilets, sunken slabs, water tanks, retaining walls, swimming pools, etc. *Two component product.

3KG

15KG





HW301 & 2

BLOCK FIX

FASTER AND STRONGER

- ★ STRONG BOND
- ★ HIGH COVERAGE
- ★ EASY APPLICATION

Variants: **HW302**: For AAC & light weight Blocks.
HW301: For red bricks, laterite bricks, fly ash bricks, hollow blocks, solid blocks.

40KG



HW305



ECO PLASTER

ZERO WATER CURING

- ★ SAVES WATER & LABOUR
- ★ CRACK RESISTANT
- ★ EASY APPLICATION

Self-curing wall plaster. No need for water curing.

25KG



HW310



WALL PUTTY

BRIGHT WHITE AND SMOOTH

- ★ THIN APPLICATION
- ★ HIGH COVERAGE
- ★ EASE OF USE

For smoothening and leveling wall surface.

40KG





HW201,2,3,4,6

TILE FIX

LASTING PERFECTION

- ★ STRONG BOND
- ★ LONGER WORKABLE TIME
- ★ EASY APPLICATION

Variants: **Standard T1:** For ceramic tiles.
Medium T2: For Small vitrified tiles.
High T3: Large format vitrified tiles, tile-on-tile.
Max T4: Granite, marble, natural stone, and cladding. **Max-White T4:** Swimming pool tiles, glass tiles, etc.

20KG

40KG





TILE GROUT

COLOURS TO MATCH ANY TILE

- ★ WATER RESISTANT
- ★ LONGER WORKABLE TIME
- ★ 40+ COLOURS*

*Available on Order.

For joint filling of tiles, marbles, granite and natural stones.

1KG



HW220



FLOOR SCREED

STRONG FLOOR BASE

- ★ PERFECT LEVELLING
- ★ LOW SHRINKAGE
- ★ SELF-CURING

For levelling floors in homes, terraces, and high-traffic commercial zones, creating a strong and even base for tiling or other finishes.

40KG



HW207



TILE FIX SLURRY

LASTING PERFECTION

- ★ SMOOTH SPREAD
- ★ PREVENTS HOLLOWES
- ★ SLURRY ON WET BED

For a strong and faster fixing of tiles directly over fresh screed in wet-on-wet applications.

20KG

40KG





TILE FIX EPOXY

LASTING PERFECTION

- ★ STRONG BOND
- ★ WATERPROOF FIXING
- ★ CHEMICAL RESISTANT

Fixing of large format tiles on dry wall, glass, wood and metal. *Three component product.

12KG





TILE GROUT EPOXY

COLOURS TO MATCH ANY TILE

★ WATERPROOF

★ WEAR RESISTANT

★ 40+ COLOURS*

*Available on Order.

Joint filling of tiles, marbles, granite natural stones, porcelain, glass mosaic tiles, engineered stones in kitchens, cafeterias, rest rooms, swimming pools, sauna, etc. *Two component product.

1KG

5KG



HW401



MICRO CONCRETE

SEAMLESS RESTORATION

- ★ PREMIXED
- ★ FASTER STRENGTH GAIN
- ★ SUITABLE FOR THIN AREA

Repair of damaged concrete elements like beams, columns, walls and for all jacketing applications.

25KG



HW402



ANCHORING GROUT

STRONG AND SECURE

- ★ EXTRA STRONG
- ★ NON SHRINK
- ★ CORROSION PROTECTION

Foundation grouting of heavy machineries like windmill, boiler, base plates, bridge bearing pads, bolt anchoring, etc.

25KG





BONDING AGENT SBR

LONG LASTING BONDING

- ★ PROVIDES STRUCTURAL INTEGRITY
- ★ FOR VARIED BONDING NEEDS
- ★ EASE OF APPLICATION

For bonding applications in masonry and concrete. Performance enhancer for repair mortar. Water proofing booster for mortar.

1LTR

5LTR

10LTR





BONDING AGENT EPOXY

LONG LASTING BONDING

- ★ PROVIDES STRUCTURAL INTEGRITY
- ★ FOR HIGH LOAD BONDING
- ★ EASE OF APPLICATION

For bonding concrete joints and for bonding application in concrete repairs. *Two component product.

1LTR

4LTR

